Woodland Hills Junior Senior High School 2550 Greensburg Pike Pittsburgh, PA 15221

Dear Parent/Guardian:
In order to provide the best possible care for your child with allergies, I have enclosed:
 Food Allergy Action Plan Parent Request and Authorization for Epi Pen Medicine Permission Form Medical Statement for Children with Special Needs
Please complete the enclosed forms and return them to the School Nurse. If applicable, please indicate if your child's allergy is only ingestion or ingestion and/or direct contact or inhalation.
In accordance with the district's Medication Policy, you will need to provide a physicians order for administration of an Epi-Pen along with the actual Epi Pen itself. The physician must write specifically if the student is to carry the Epi Pen with him/her.
Please be advised to check with your child's counselor when scheduling as to whether there is a substance used in a specific class that should be avoided due to allergy (such as in a lab).
If your child needs any special substitutions or services from food services, the enclosed Medical Statement for Children With Special Needs form must be completed by both the parent and the physician and returned to the Health Office.
Please continue to provide updates to the school nurse and cafeteria staff regarding any changes in food allergies or medical status throughout the school year.
Thank you for your cooperation in this matter. We look forward to working with you.
Sincerely,
Certified School Nurses

Food Allergy Action Plan

		City .		
Student's				Place
Name:	,	D.O.B:Teacher:		Child's
ALLER	GY TO:			Picture
	غد نوید د			Here
Asthmat	ic Yes*	No *Higher risk for severe reaction		
		◆ STEP 1: TREATMENT ◆		
Sympt	toms:			Medication**: by physician authorizing
	If a food	allergen has been ingested, but no symptoms:	☐ Epinephrine	☐ Antihistamine
-	Mouth	Itching, tingling, or swelling of lips, tongue, mouth	☐ Epinephrine	☐ Antihistamine
761	Skin	Hives, itchy rash, swelling of the face or extremities	☐ Epinephrine	☐ Antihistamine
in .	Gut	Nausea, abdominal cramps, vomiting, diarrhea	☐ Epinephrine	☐ Antihistamine
#8	Throat*	Tightening of throat, hourseness, hacking cough	☐ Epinephrine	☐ Antihistamine
**	Lung	Shortness of breath, repetitive coughing, wheezing	☐ Epinephrine	☐ Antihistamine
*	Heart'	Weak or thready pulse, low blood pressure, fainting, pale, blueness	☐ Epinephrine	☐ Antihistamine
m	Other†		☐ Epinephrine	☐ Antihistamine
ph.	If reactio	n is progressing (several of the above areas affected), give:	☐ Bpinephrine	☐ Antihistamine
Antihist	amine: g	rivemedication/dose/route		
Other: g	give	médication/dose/route		
IMPOR	TANT:	Asthma inhalers and/or antihistamines cannot be depended on to	replace epinephi	rine in anaphylaxis.
		washing a sometiments of the first of the first of the second of the sec	*	
1. Call 9	11 (or Re	scue Squad:). State that an allergic reaction has been treate	d, and additional epir	nephrine may be needed.
2. Dr	***************************************	Phone Number:		
3. Parent	t <u></u>	Phone Number(s)		
4. Emerg	gency con Relations	hip Phone Number(s)		
a		1.)	2.)	
b		1.)	2.)	
EVEN IF	PARENT/O	GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OF	R TAKE CHILD TO M	IEDICAL FACILITY!
Parent/Gu	iardian's	Signature	Date	***************************************
Danton's	Signature		Doto	

(Required)

PARENT REQUEST AND AUTHORIZATION FOR EPI-PEN

My name is, my address is,
and my telephone number is, my address is,
I am the parent/guardian of :Grwho attends
I request and authorize the school and the school personnel to administer an EPI-PEN to my child,, in accordance with the written instruction attached hereto and submitted by my child's physician,
I recognize that a teacher, counselor, or administrator in emergency situations may administer the medication when a certified school nurse is unavailable to do so. I specifically approve this practice.
I hereby release the Woodland Hills School District, its School Board members, officers, and the employees, from any damages, liability, or loss resulting from compliance or attempted compliance in good faith with this Request and Authorization and specifically agree to indemnify, defend, and hold Woodland Hills School District, its School Board members, officers, and employees, harmless from any claims, costs, or expenses, including the cost of attorney fees, that may be asserted against or incurred by the District, its School Board members, officers, and employees, as a result of claims or lawsuits by any other party or entity alleging claims, damages, liability, or loss of any kind or nature arising out of, related to, or connected in any way with the administration of an EPI-PEN to my child.
Dated:Signature of Parent/Guardian:
After discussion with my child's doctor it has been determined that, does not require an EPI-PEN in school.
Dated:
Signature of Parent/Guardian:

^{*}If an EPI PEN is unavailable and an EXTREME ALLERGIC EMERGENCY occurs, the Certified School Nurse and/or their designee will notify 911 for emergency treatment and transport to the nearest hospital.

Emergency Care Plan

Name:		DOB:
School:		Grade:
		(cel)
Parent/Guardian Emergency	Contact:	
Telephone (h):	(w):	(cel)
		/Relationship/Telephone Number:
Healthcare Provider/Telephor	ne:	
KNOWN ALLERGIES:		
HEALTH PROBLEM:		
IN A HEALTH EMERGENC	CY (STUDENT) LOOKS	S LIKE:
PLEASE DO THE FOLLOW	/ING:	
Parent/Guardian Signature:		Date:
		Date:

Adapted from J. Selekman, School Nursing: A Comprehensive Text, 2006



Children with Disabilities and Special Dietary Needs

Schools participating in a federal school meal program (National School Lunch Program, School Breakfast Program, Fresh Fruit and Vegetable Program, Special Milk Program, and Afterschool Snack Program) are required to make reasonable accommodations for children who are unable to eat the school meals because of a disability that restricts the diet.

1. Licensed Medical Authority's Statement for Children with Disabilities

U.S. Department of Agriculture (USDA) regulations at <u>7 CFR Part 15b</u> require substitutions or modifications in school meals for children whose disabilities restrict their diets. School food authorities must provide modifications for children on a case-by-case basis when requests are supported by a written statement from a state licensed medical authority.

The third page of this document ("Medical Plan of Care for School Food Service") may be used to obtain the required information from the licensed medical authority. For this purpose, a *state licensed medical authority* in Pennsylvania includes a:

- Physician,
- · Physician assistant,
- · Certified registered nurse practitioner, or
- Dentist.

The written medical statement must include:

- An explanation of how the child's physical or mental impairment restricts the child's diet;
- An explanation of what must be done to accommodate the child; and
- The food or foods to be omitted and recommended alternatives, if appropriate.

2. Other Special Dietary Needs

School food service staff may make food substitutions for individual children who do not have a medical statement on file. Such determinations are made on a case-by-case basis and all accommodations must be made according to USDA's meal pattern requirements. Schools are encouraged, but not required, to have documentation on file when making menu modifications within the meal pattern.

Special dietary needs and requests, including those related to general health concerns, personal preferences, and moral or religious convictions, are not disabilities and are optional for school food authorities to accommodate. Meal modifications for non-disability reasons are reimbursable provided that these meals adhere to Program regulations.

3. Rehabilitation Act of 1973 and the Americans with Disabilities Act

Under Section 504 of the Rehabilitation Act of 1973, the Americans with Disabilities Act (ADA) of 1990 and the ADA Amendments Act of 2008, a person with a disability means any person who has a physical or mental impairment that substantially limits one or more major life activities or major bodily functions, has a record of such an impairment, or is regarded as having such an impairment. A physical or mental impairment does not need to be life threatening in order to constitute a disability. If it limits a major life activity, it is considered a disability.

Major life activities include, but are not limited to: caring for oneself, performing manual tasks, seeing, hearing, eating, sleeping, walking, standing, lifting, bending, speaking, breathing, learning, reading, concentrating, thinking, communicating, and working. A major life activity also includes the operation of a major bodily function, including but not limited to: functions of the immune system; normal cell growth; and digestive, bowel, bladder, neurological, brain, respiratory, circulatory, endocrine, and reproductive functions.

Revised June 2022

4. Individuals with Disabilities Education Act

A child with a disability under Part B of the *Individuals with Disabilities Education Act* (IDEA) is described as a child evaluated in accordance with IDEA as having one or more of the recognized thirteen disability categories and who, by reason thereof, needs special education and related services. The Individualized Education Program (IEP) is a written statement for a child with a disability that is developed, reviewed, and revised in accordance with the IDEA and its implementing regulations. When nutrition services are required under a child's IEP, school officials need to ensure that school food service staff is involved early in decisions regarding special meals. If an IEP or 504 plan includes the same information that is required on a medical statement (see section 1, above), then it is not necessary to get a separate medical statement.

School Nutrition Program Contact

For more information about requesting accommodations to school meals and the meal service for students with disabilities, contact:

Click here to enter local contact name and information.

USDA Nondiscrimination Statement

In accordance with federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (e.g., Braille, large print, audiotape, American Sign Language), should contact the responsible state or local agency that administers the program or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a Complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at: https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to USDA. The letter must contain the complainant's name, address, telephone number, and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights (ASCR) about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to USDA by:

1. mail:

U.S. Department of Agriculture Office of the Assistant Secretary for Civil Rights 1400 Independence Avenue, SW Washington, D.C. 20250-9410; or

- 2. fax: (833) 256-1665 or (202) 690-7442; or
- 3. email: program.intake@usda.gov.

This institution is an equal opportunity provider.

ATTENTION: If you speak Spanish, language assistance services, free of charge, are available to you. Contact your child's school.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Communiques con la escuela de su niño.

Medical Plan of Care for School Food Service

Please read pages 1 and 2 before completing this form.

Student's Name	Date of E	Birth	Grade Level/Classroom
Name of School/Site			
Name of Parent/Guardian	Pho	one Number of Pare	nt/Guardian
Signature of Parent/Guardian	Dat	te	
Provide an explanation below of how the student's physical or menta	al impairme	ent restricts the stude	nt's diet:
2. Describe the specific diet or necessary modifications prescribed by t student's needs:	he state lic	censed medical author	rity to accommodate the
List the food or foods to be omitted (please be specific) and recomm Foods to be omitted:	ended alte	ematives, if appropria	te.
Currented substitutions.			
Suggested substitutions:			
Indicate texture modifications, if applicable: □ Chopped/Cut into bite-sized pieces □ Diced/Finely Ground □ P	ureed \square	Other:	
List any required special adaptive equipment:	urced L	Other.	
Name of Physician/Medical Authority & Title (Please Print)		Provider Phone N	umbor
Marile of Physician Medical Authority & Pile (Please Phility)		1 Tovider Friorie N	umbei
Signature of Physician/Medical Authority		Date	
Signing the following section is optional but may prevent delays by allowing	the school	I to speak with the ph	sician/medical authority
Health Insurance Portability and Accountability Act Waiver			
In accordance with the provisions of the Health Insurance Portability and Accountability Act of 1996 and the Family Educational Rights and Privacy Act, I hereby authorize (medical authority) to release such			
Rights and Privacy Act, I hereby authorize (medical authority) to release such protected health information of my child as is necessary for the specific purpose of Special Diet information to (school/program) and I consent to allow the physician/medical authority to			
freely exchange the information listed on this form and in their records concerning my child with the school program as necessary. I understand that I may refuse to sign this authorization without impact on the eligibility of my request for a special diet for my child.			
I understand that permission to release this information may be rescinded at any time except when the information has already been released. My permission to release this information will expire on (date). This information is to be			
released for the specific purpose of Special Diet information.			
The undersigned certifies that he/she is the parent, guardian or representative of the person listed on this document and has the legal authority to sign on behalf of that person.			
Parent/Guardian Signature:		Date:	

Revised June 2022

FARE	1
Food Allergy Research & Education	

FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLA

Name: D.O.	.B.:		
Allergy to:	Medical and the state of the st		
Weight:Ibs. Asthma: Yes (higher risk for a severe reaction)	No		
NOTE: Do not depend on antihistamines or inhalers (bronchodilators) to treat a s	severe reaction. USE EPINEPHRINE.		
Extremely reactive to the following allergens: THEREFORE:			
☐ If checked, give epinephrine immediately if the allergen was LIKELY eaten, for ANY symptoms. ☐ If checked, give epinephrine immediately if the allergen was DEFINITELY eaten, even if no symptoms are apparent.			
FOR ANY OF THE FOLLOWING:	MILD SYMPTOMS		

SEVERE SYMPTOMS



Shortness of breath, wheezing, repetitive cough



HEART

Pale or bluish skin, faintness, weak pulse, dizziness



THROAT

Tight or hoarse throat, trouble breathing or swallowing



MOUTH

Significant swelling of the tongue or lips



SKIN

Many hives over body, widespread redness



Repetitive vomiting, severe diarrhea



OTHER

Feeling something bad is about to happen, anxiety, confusion



of symptoms from different body areas.







1. INJECT EPINEPHRINE IMMEDIATELY.

- 2. Call 911. Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.
- Consider giving additional medications following epinephrine:
 - Antihistamine
 - Inhaler (bronchodilator) if wheezing
- Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return.



NOSE

Itchy or runny nose, sneezing



MOUTH

Itchy mouth



A few hives. mild itch



nausea or

discomfort

FOR MILD SYMPTOMS FROM MORE THAN ONE SYSTEM AREA, GIVE EPINEPHRINE.

FOR MILD SYMPTOMS FROM A SINGLE SYSTEM AREA, FOLLOW THE DIRECTIONS BELOW:

- 1. Antihistamines may be given, if ordered by a healthcare provider.
- 2. Stay with the person; alert emergency contacts.
- 3. Watch closely for changes, If symptoms worsen, give epinephrine.

MEDICATIONS/DOSES

Epinephrine Brand or Generic:			
Epinephrine Dose: 🗆 0.1 mg IM	□ 0.15 mg IM	☐ 0.3 mg IM	
Antihistamine Brand or Generic: _			
Antihistamine Dose:			
Other (e.g., inhaler-bronchodilator if wheezing):			




FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

3

HOW TO USE AUVI-Q® (EPINEPRHINE INJECTION, USP), KALEO

- Remove Auvi-Q from the outer case.
- 2. Pull off red safety guard.
- 3. Place black end of Auvi-Q against the middle of the outer thigh.
- 4. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- 5. Call 911 and get emergency medical help right away.




HOW TO USE EPIPEN® AND EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN

- 1. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward.
- 3. With your other hand, remove the blue safety release by pulling straight up.
- Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'.
- 5. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 6. Remove and massage the injection area for 10 seconds.
- 7. Call 911 and get emergency medical help right away.

HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, IMPAX LABORATORIES

- 1. Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip.
- 3. Grasp the auto-injector in your fist with the red tip pointing downward.
- 4. Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh.
- 5. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 6. Remove and massage the area for 10 seconds.
- 7. Call 911 and get emergency medical help right away.



HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- 1. Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward.
- 3. With your other hand, pull off the blue safety release.
- 4. Place the orange tip against the middle of the outer thigh (upper leg) at a right angle (perpendicular) to the thigh.
- 5. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'.
- 6. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 7. Remove and massage the injection area for 10 seconds.
- 8. Call 911 and get emergency medical help right away.

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALL 911 OTHER EMERGENCY CONTACTS

EMERGENCY CONTACTS — CAL	L 911	OTHER EMERGENCY CONTACTS		
RESCUE SQUAD:		NAME/RELATIONSHIP:	PHONE:	
DOCTOR:	PHONE:	NAME/RELATIONSHIP:	_ PHONE:	
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	PHONE	